
Event Log / Error Log for AW-UE100

Event Log and Error Log can be confirmed on WEB screen. (Setup → Maintenance → System log)



< Event Log >

Event Log	Note
No.	Up to 1000 events. The newest event log is No.1.
Date & Time	Date and Time that the event has occurred. Without time setting, bar is displayed.
Event code	Refer to the following table.
Description	Refer to the following table.

< Error Log >

Error Log	Note
No.	Up to 32 errors. The newest event log is No.1.
Operation time	Hour Meter that the error has occurred. (0h – 9999h)
Error code	Refer to the following table.
Error description	Refer to the following table.

< Event Log table >

Event Code	Event Description	Note
W0001	<power> System start.</power>	Power was supplied and system started.
W0002	<power> Power on.</power>	"Power ON" button is pressed on WEB screen.
W0003	<power> Standby.</power>	"Standby" button is pressed on WEB screen.
W0004	<power> POE+ power is not supplied.</power>	POE+ power supply was not detected.

		This error occurs when using DoE hub
W0005	s Downers DOE ((Hondware) is worthing	This error occurs when using PoE hub.
W0005	<power> POE+ (Hardware) is working.</power>	POE+ power supply was OK. (Hardware detection)
W1003	<power> POE+ (Software) is working. Maintananae Suggeded OSD Manual</power>	POE+ power supply was OK. (Software detection)
VV 1003	<maintenance> Succeeded OSD Menu initialization</maintenance>	Initialization of OSD menu (Maintenance -> Initialize) was successful.
W1005		
W1005	<maintenance> Succeeded firmware update Maintenance> Failed firmware update</maintenance>	Firmware update (Maintenance -> Product info) was successful.
	<pre><maintenance> Failed firmware update</maintenance></pre>	Firmware update (Maintenance -> Product info) failed.
W1007	<maintenance> Succeeded OSD menu and</maintenance>	"Reset to the default (Except the network settings)" of WEB menu
\M/4.000	WEB menu initialization	(Maintenance -> Default reset) was successful.
W1008	<maintenance> Reboot</maintenance>	"Reboot" of WEB menu (Maintenance -> Default reset) was
W1009	Maintananas Cuasadad configuration	executed.
VV 1009	<pre><maintenance> Succeeded configuration</maintenance></pre>	Setting data upload (Maintenance -> Backup) was successful.
W1013	data upload <maintenance> Succeeded Scene All</maintenance>	Initialization of all Scenes succeeded.
VV 1013	initialization.	Initialization of all Scenes succeeded.
W1014	<pre><maintenance> Succeeded Scene 1</maintenance></pre>	Initialization of Scene 1 succeeded.
VV 1014	initialization.	Initialization of Scene 1 succeeded.
W1015	<maintenance> Succeeded Scene 2</maintenance>	Initialization of Scene 2 succeeded.
VV 1013	initialization.	initialization of occine 2 succeeded.
W1016	<maintenance> Succeeded Scene 3</maintenance>	Initialization of Scene 3 succeeded.
******	initialization.	initialization of occine o successed.
W1017	<maintenance> Succeeded Scene 4</maintenance>	Initialization of Scene 4 succeeded.
	initialization.	Thinking and the country of count
W1203	<pre><date&time> Date&Time exchanged</date&time></pre>	Date and time has been set.
		PC synchronization / NTP sever connection / Manual setting Time synchronization succeeded
W1205	<ntp> NTP update succeeded</ntp>	The connection error with the NTP server.
W1206	<ntp> No response from the NTP server</ntp>	Generating the Self-signed Certificate has been completed.
W1210	<https> Self-signed Certificate Generated</https>	
W1211	<https> Self-signed Certificate Deleted</https>	Deleting the Self-signed Certificate has been completed.
W1212	<https> Certificate Signing Request</https>	Generating the Certificate Signing Request has been completed.
	Generated	Installation of the CA Contificate has been consulated
W1213	<hr/>	Installation of the CA Certificate has been completed.
W1214	<hr/>	Deleting the CA Certificate has been completed.
W1215	<hr/>	The previous CRT key has been applied.
W1216	<hr/> HTTPS> CRT key Generated	Generating the CRT key has been completed.
W1217	<genlock> Genlock succeeded</genlock>	After detecting the genlock signal, the external lock succeeded.
W1218	<genlock> Genlock failed</genlock>	After detecting the genlock signal, the external lock failed.
W1220	<codec> General error occurred</codec>	Codec error occurred. (ex. JPEG freeze)
W1302	<login> Login failed. [username] [IP address]</login>	Login (user name for user authentication, IP address for host authentication)
W1303	<login> Remote camera controller</login>	ROP connection and IP / account information
	connected [username] [IP address]	
W1311	<pre><stream> Mipeg ch1 Play [username] [IP</stream></pre>	User information display who started mjpeg delivery
	address]	
W1312	<pre><stream> Mjpeg ch2 Play [username] [IP</stream></pre>	User information display who started mjpeg delivery
	address]	
W1313	<pre><stream> Mjpeg ch3 Play [username] [IP</stream></pre>	User information display who started mjpeg delivery
	address]	
W1314	<pre><stream> Mjpeg ch1 Stop [username] [IP</stream></pre>	User information display who stopped mjpeg delivery
	address]	
W1315	<pre><stream> Mjpeg ch2 Stop [username] [IP</stream></pre>	User information display who stopped mjpeg delivery
	N O are a sele freezerment in	<u> </u>

	address]	
W1316	<stream> Mjpeg ch3 Stop [username] [IP</stream>	User information display who stopped mjpeg delivery
	address]	
W1317	<stream> H.264 ch1 Play [username] [IP</stream>	User information display who started H.264 delivery
	address]	
W1318	<stream> H.264 ch2 Play [username] [IP</stream>	User information display who started H.264 delivery
	address]	
W1319	<stream> H.264 ch3 Play [username] [IP</stream>	User information display who started H.264 delivery
	address]	Heaving was tiped display who should H 2004 delivery
W1320	<stream> H.264 ch4 Play [username] [IP</stream>	User information display who started H.264 delivery
	address]	User information display who stopped H.264 delivery
W1321	<stream> H.264 ch1 Stop [username] [IP</stream>	Oser information display who stopped H.204 delivery
14/4000	address]	User information display who stopped H.264 delivery
W1322	<stream> H.264 ch2 Stop [username] [IP</stream>	Osci information display who stopped 11.204 delivery
14/4202	address]	User information display who stopped H.264 delivery
W1323	<pre><stream> H.264 ch3 Stop [username] [IP</stream></pre>	Coor missing alopies, this stopped times to assist of
W1324	address]	User information display who stopped H.264 delivery
VV 1324	address]	
W1325	<pre><stream> H.265 ch1 Play [username] [IP</stream></pre>	User information display who started H.265 delivery
	address]	
W1326	<stream> H.265 ch1 Stop [username] [IP</stream>	User information display who stopped H.265 delivery
	address]	
W1327	<stream> Reached the number of</stream>	Maximum number of connections
	connections limit [username] [IP address]	
W1328	<stream> Reached the processing limit</stream>	CPU load upper limit
W1329	<stream> reached the bandwidth limit</stream>	Bandwidth upper limit
W1331	<contorol> lock remote control [username]</contorol>	Lockout start and IP/account information
	[IP address]	
W1332	<control> Unlock remote control [username]</control>	Lockout release and IP/account information
	[IP address]	
W1341	<stream> H.265 ch2 Play. [User's name]</stream>	H265 distribution start and IP/account information.
	[IPaddress]	LIGHT distribution stop and ID/secount information
W1342	<stream> H.265 ch2 Stop. [User's name]</stream>	H265 distribution stop and IP/account information.
14/40/45	[IPaddress]	High bandwidth NDI Client Additional information display.
W1345	Stream> High bandwidth NDI Add Client.	The sandwidth Not Chefit Additional Information display.
W1346	[Number of Client]	High bandwidth NDI Client Delete information display.
VV 1340	<stream> High bandwidth NDI Decrease. [Number of Client]</stream>	The state of the s
	[Number of Client]	1

< Error Log table >

Event Code	Event Description	Note (Factor)
0x00	Normal	No Error
0x03	Motor Driver Error	Motor related Error(Servo) →The PT is not running for some reason.
0x21	System Error	Abnormal communication content between Camera and Servo (Servo)
0x22	Spec Limit Over	PT limit exceeded(Servo)
0x24	NET life-monitoring Error	NET CPU life / death monitoring timeout(V10)

0x25	Main Life-monitoring Error	BE CPU life / death monitoring timeout(V10)
0x29	CAM Life-monitoring Error	CAM CPU life / death monitoring timeout(V10)
0x31	Fan1 error	Fan Error(Lens side)
0x33	High Temp	Ultra high temperature condition(Lens or Main)
0x36	Low Temp	Low temperature condition(Lens or Main)
0x40	Temp Sensor Error	Temperature sensor Error(Lens or Main)
0x41	Lens Initialize Error	Lens origin search failed(Lens)
0x42	PT. Initialize Error	Pan/Tilt origin search failed(Servo) →Timeout Error.
		It is necessary to check what the previous error occurred
0x43	PoE++ Software auth. Timeout	PoE++ timeout error
0x50	MR Level Error	MR Level Error(Motor)
0x52	MR Offset Error	MR Offset Error(Motor)
5.02	Will Chook Elifor	It appears when the offset adjustment value of motor
		FGMR at startup is abnorma
0x57	Gyro Error	Gyro Error(Servo)